


1.3		3
3.1		5
3.2		5
4.1 NFC		6
4.2 NFC	LED	8
4.3 DALI	NFC	9
4.4		12
4.5		15





打开串口连接

✕

端口

USB Serial Port (COM27)

▼

波特率

38400

▼

安装USB驱动

校验位

None

▼

设备管理器

数据位

8

▼

停止位


0


▼


确定

取消



默认值




























研友软件 N12

INPUT

0.1

0.5

1.0

1.5

2.0

2.5

3.0

3.5

4.0

4.5

5.0

5.5

6.0

6.5

7.0

7.5

8.0

8.5

9.0

9.5

10.0

10.5

11.0

11.5

12.0

12.5

13.0

13.5

14.0

14.5

15.0

15.5

16.0

16.5

17.0

17.5

18.0

18.5

19.0

19.5

20.0

20.5

21.0

21.5

22.0

22.5

23.0

23.5

24.0

24.5

25.0

25.5

26.0

26.5

27.0

27.5

28.0

28.5

29.0

29.5

30.0

30.5

31.0

31.5

32.0

32.5

33.0

33.5

34.0

34.5

35.0

35.5

36.0

36.5

37.0

37.5

38.0

38.5

39.0

39.5

40.0

40.5

41.0

41.5

42.0

42.5

43.0

43.5

44.0

44.5

45.0

45.5

46.0

46.5

47.0

47.5

48.0

48.5

49.0

49.5

50.0

50.5

51.0

51.5

52.0

52.5

53.0

53.5

54.0

54.5

55.0

55.5

56.0

56.5

57.0

57.5

58.0

58.5

59.0

59.5

60.0

60.5

61.0

61.5

62.0

62.5

63.0

63.5

64.0

64.5

65.0

65.5

66.0

66.5

67.0

67.5

68.0

68.5

69.0

69.5

70.0

70.5

71.0

71.5

72.0

72.5

73.0

73.5

74.0

74.5

75.0

75.5

76.0

76.5

77.0

77.5

78.0

78.5

79.0

79.5

80.0

80.5

81.0

81.5

82.0

82.5

83.0

83.5

84.0

84.5

85.0

85.5

86.0

86.5

87.0

87.5

88.0

88.5

89.0

89.5

90.0

90.5

91.0

91.5

92.0

92.5

93.0

93.5

94.0

94.5

95.0

95.5

96.0

96.5

97.0

97.5

98.0

98.5

99.0

99.5

100.0

100.5

101.0

101.5

102.0

102.5

103.0

103.5

104.0

104.5

105.0

105.5

106.0

106.5

107.0

107.5

108.0

108.5

109.0

109.5

110.0

110.5

111.0

111.5

112.0

112.5

113.0

113.5

114.0

114.5

115.0

115.5

116.0

116.5

117.0

117.5

118.0

118.5

119.0

119.5

120.0

120.5

121.0

121.5

122.0

122.5

123.0

123.5

124.0

124.5

125.0

125.5

126.0

126.5

127.0

127.5

128.0

128.5

129.0

129.5

130.0

130.5

131.0

131.5

132.0

132.5

133.0

133.5

134.0

134.5

135.0

135.5

136.0

136.5

137.0

137.5

138.0

138.5

139.0

139.5

140.0

140.5

141.0

141.5

142.0

142.5

143.0

143.5

144.0

144.5

145.0

145.5

146.0

146.5

147.0

147.5

148.0

148.5

149.0

149.5

150.0

150.5

151.0

151.5

152.0

152.5

153.0

153.5

154.0

154.5

155.0

155.5

156.0